



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4337			
DIBUTYLAMINE 99% LAB GRADE			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	> = 99.0%		99.8%
	%		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
COLOR	< 15 APHA		5 APHA
	PT-CO		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
MANUFACTURE DATE	MM/DD/YY		04/26/2023
	MM/DD/YYYY		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
EXPIRATION DATE	MM/DD/YY		04/26/2025
	MM/DD/YYYY		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
SHELF LIFE OF PRODUCT	2 YEARS		2 YEARS
	TIME		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
Lot #	335604		
Made	12/22/23		

Richard [Signature]
Quality Manager