



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P4716			
POTASSIUM IODIDE REAGENT ACS GRANULAR			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	> = 99.0%		99.8%
	%		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
PH OF A 5% SOLUTION	8.000	6.000 - 9.200	6.600
	PH		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
INSOLUBLE MATTER	MAX 0.005%		0.002%
	%		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
CHLORIDE AND BROMIDE	MAX 0.01%		<0.01%
	CHLOR/BROM		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
IODATE (IO3)	MAX 3 PPM		<0.5 PPM
	PPM		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
PHOSPHATE (PO4) PERCENT	MAX 0.001%		<0.001%
	%		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
SULFATE % (SO4)	MAX 0.005%		<0.005%
	%		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
PERCENT BARIUM	MAX 0.002%		<0.002%
	%		
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

PPM HEAVY METALS (AS PB)	MAX 5 PPM PPM	<5 PPM
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
IRON	MAX 3 PPM PPM	<3 PPM
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
LOSS ON DRYING	MAX 0.2% %	0.1%
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	03/05/2024
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	03/06/2027
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	3 YEARS
Sample ID		
Tested 05/09/24		
Tester TBUR		
Recorded 05/09/24		
Lot # 412705		
Made 05/06/24		

Richard [Signature]

Quality Manager