



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1494			
ACETONE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.61%
	%		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
SOLUBILITY	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
TITRABLE ACID	MAX 0.0003 MEQ/G		0.0003 MEQ/G
	T ACID		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
TITRABLE BASE	MAX 0.0006 MEQ/G		0.0003 MEQ/G
	T BASE		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
ALDEHYDE (AS HCHO)	MAX 0.002%		<0.002%
	ALDEHYDE		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
%WATER	MAX 0.5%		0.4%
	%WATER		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		
ISOPROPYL ALCOHOL	MAX 0.05%		<0.01%
	%		
Sample ID			
Tested	02/23/24		
Tester	TBUR		
Recorded	02/23/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

PERCENT METHANOL	MAX 0.05% %MEOH	0.03%
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
COLOR	MAX 10 PT-CO	<5 APHA
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
CONFORMS TO ASTM D329	CONFORMS TO ASTM D329 CONFORMS	CONFORMS TO STANDARD
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
RESIDUE AFTER EVAPORATION	MAX 0.001%	0.0001%
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	01/30/2029
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	5 YEARS
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	01/08/2024
Sample ID		
Tested 02/23/24		
Tester TBUR		
Recorded 02/23/24		

Lot # 405303
Made 02/22/24



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 02/23/24 at 9:24 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager