



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b>	D4640		
	DICHLOROMETHANE HPLC (NOT STABILIZED)		
<b>ACIDITY AS ACETIC ACID</b>	0.0005 MAXIMUM WT%		<0.00002%
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>APPEARANCE AND COLOR</b>	CLEAR COLORLESS LIQUID APPEARANCE		CLEAR COLORLESS LIQUID
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>ASSAY OF MATERIAL</b>	MIN 99.9% %		>99.99%
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>COLOR</b>	MAX 10 APHA PT-CO		5 APHA
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>RESIDUE OF EVAPORATION</b>	MAX 4 PPM RESIDUEEVA		2 PPM
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>FLUORESCENCE (AS QUININE BASE)</b>	PASS TEST FLUORESCEN		PASS TEST
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>FREE HALOGENS</b>	PASS TEST FREE HALOGEN		PASS TEST
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		
<b>GC/MS USE TEST</b>	PASS TEST GC/MS USE		PASS TEST
Sample ID			
Tested	04/23/24		
Tester	TBUR		
Recorded	04/23/24		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

IDENTIFICATION	PASS TEST PASS	PASS TEST
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>REFRACTIVE INDEX</b>	1.4215	1.4200 - 1.4230
	REFRACTIVE INDE	1.4218
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>PERCENT WATER</b>	MAX 0.02% % WATER	0.0002%
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	03/30/2025
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	03/29/2024
Sample ID		
Tested 04/23/24		
Tester TBUR		
Recorded 04/23/24		
<b>Lot #</b> 410721		
<b>Made</b> 04/16/24		

*Richard [Signature]*

**Quality Manager**