



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: F2520			
FERRIC CHLORIDE HEXAHYDRATE REAG ACS LUMPS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	97.0 - 102.0%		99.4%
	%		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
INSOLUBLE MATTER	MAX 0.01%		0.008%
	%		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
NITRATE (NO3) CONTENT	MAX 0.01%		<0.01%
	PPM		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
PHOSPHORUS	MAX 0.01%		<0.01%
	PPM		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
SULFATE (SO4) CONTENT	MAX 0.01%		<0.01%
	MAX 60 MG/KG		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
COPPER (CU) CONTENT	MAX 0.003%		<0.003%
	COPPER		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
ZINC (ZN) CONTENT	MAX 0.003%		0.0028%
	PPM		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		
FERROUS IRON (FE)	MAX 0.002%		0.001%
	FERROUS		
Sample ID			
Tested	01/04/24		
Tester	TBUR		
Recorded	01/04/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

CALCIUM CONTENT	MAX 0.01% PPM	0.005%
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
MAGNESIUM (MG) CONTENT	MAX 0.005% PPM	0.001%
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
POTASSIUM CONTENT	MAX 0.005% PPM	<0.005%
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
SODIUM CONTENT	MAX 0.05% %	0.001%
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	03/30/2028
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
SHELF LIFE OF PRODUCT	5 YEARS TIME	5 YEARS
Sample ID		
Tested	01/04/24	
Tester	TBUR	
Recorded	01/04/24	
Lot #	336210	
Made	12/28/23	

Richard [Signature]

Quality Manager