



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> F6086			
	FORMIC ACID REAGENT ACS (~88% W/W)		
<b>ASSAY OF MATERIAL</b>	>= 88.0%		90.00%
	%		
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>COLOR</b>	MAX 15 APHA PT-CO		15 APHA
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>DILUTION TEST</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>ACETIC ACID (CH3 COOH)</b>	MAX 0.4% ACETIC		0.1%
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>Ammonium (NH4)</b>	MAX 0.005% NH4		0.005%
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>CHLORIDE CONTENT</b>	MAX 0.001% PPM		0.001%
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>SULFATE (SO4) CONTENT</b>	MAX 0.002% MAX 60 MG/KG		0.001%
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		
<b>SULFITE (SO3)</b>	PASSES TEST PPM		PASSES TEST
Sample ID			
Tested	10/12/23		
Tester	TBUR		
Recorded	10/12/23		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>HEAVY METAL (AS PB)</b>	MAX 5 PPM PPM	1 PPM
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>IRON</b>	MAX 5 PPM PPM	1 PPM
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.002%	0.001%
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	06/07/2023
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	06/06/2025
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>SHELF LIFE OF PRODUCT</b>	2 YEARS TIME	2 YEARS
Sample ID		
Tested	10/12/23	
Tester	TBUR	
Recorded	10/12/23	
<b>Lot #</b>	328204	
<b>Made</b>	10/09/23	

**Quality Manager**