



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: N3602			
Ninhydrin, 99%, Alfa Aesar™			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	PALE YELLOW CRYSTALLINE POWDER APPEARANCE		PALE CREAM CRYSTALLINE POWDER
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
WATER (BY KARL FISHER)	9.21% %		10.43%
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
MELTING POINT	252°C DEG		54 DEG C
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
ASSAY (HPLC)	MIN 99% 99.9%		99.9%
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
IDENTIFICATION (FTIR)	CONFORMS		CONFORMS
Sample ID			
Tested	05/09/24		
Tester	TBUR		
Recorded	05/09/24		
Lot #	412802		
Made	05/07/24		

Quality Manager