



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: C0727 CALCIUM HYDROXIDE LAB GRADE POWDER			
ASSAY OF MATERIAL	95 - 100.5%		98.7%
	%		
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
PASSING 325 MESH	MIN 96.5 325 MESH		99.7%
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
MOISTURE,%	MAX 1.0%		0.3%
	%		
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
FLUORIDE (F)	MAX 50 PPM PPM		30 PPM
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
INSOLUBLES,% GUARANTEED	MAX 0.5%		<0.5%
	%		
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
LEAD (PB) CONTENT	MAX 10 PPM MG/L		<2 PPM
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
% MAG. & ALKALI SALTS	MAX 4.8%		<4.8%
	% MAG		
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			
ARSENIC CONTENT	MAX 3.0 PPM ARSENIC		<3.0 PPM
Sample ID			
Tested 04/23/24			
Tester TBUR			
Recorded 04/23/24			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

CARBONATE AS NA2CO3

PASSES TEST
 PPM

PASSES TEST

Sample ID
 Tested 04/23/24
 Tester TBUR
 Recorded 04/23/24

APPEARANCE AND COLOR

WHITE POWDER
 APPEARANCE

WHITE POWDER

Sample ID
 Tested 04/23/24
 Tester TBUR
 Recorded 04/23/24

Lot # 410808

Made 04/17/24

Quality Manager