



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: QUI009			
MOLECULAR SIEVES 4A, 8-12 MESH			
Test	Target/UOM	Range	Result
COLOR	BEIGE PT-CO		BEIGE
Sample ID			
Tested	02/08/24		
Tester	TBUR		
Recorded	02/08/24		
FORM	BEADS FORM		BEADS
Sample ID			
Tested	02/08/24		
Tester	TBUR		
Recorded	02/08/24		
BULK DENSITY	680 TO 760 G/L G/CC		750 G/L
Sample ID			
Tested	02/08/24		
Tester	TBUR		
Recorded	02/08/24		
RESIDUAL WATER	=<1.5%		1.4% (550 DEG C, 2H)
Sample ID			
Tested	02/08/24		
Tester	TBUR		
Recorded	02/08/24		
WATER ADSORPTION	>=20		22%
Sample ID			
Tested	02/08/24		
Tester	TBUR		
Recorded	02/08/24		
Lot #	402904		
Made	01/29/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Richard [Signature]

Quality Manager