



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C9120			
CYCLOHEXENE 99+%			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>=98.5%		99.9%
	%		
Sample ID			
Tested	08/16/23		
Tester	TBUR		
Recorded	08/16/23		
APPEARANCE AND COLOR	CLEAR COLORLESS LIQUID		CLEAR COLORLESS LIQUID
	APPEARANCE		
Sample ID			
Tested	08/16/23		
Tester	TBUR		
Recorded	08/16/23		
REFRACTIVE INDEX	1.4450	0.0000 - 1.4470	1.4466
	REFRACTIVE INDE		
Sample ID			
Tested	08/16/23		
Tester	TBUR		
Recorded	08/16/23		
EXPIRATION DATE	MM/DD/YY		08/29/27
	MM/DD/YYYY		
Sample ID			
Tested	08/16/23		
Tester	TBUR		
Recorded	08/16/23		
SHELF LIFE OF PRODUCT	5 YEARS		5 YEARS
	TIME		
Sample ID			
Tested	08/16/23		
Tester	TBUR		
Recorded	08/16/23		
Lot #	322713		
Made	08/15/23		

Richard [Signature]

Quality Manager