



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4457-20L DICHLOROMETHANE LAB GRADE 99%			
Lot # 303707			
Chemical Product: D4653 DICHLOROMETHANE REAGENT A.C.S.			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5% %		99.95%
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
TITRABLE ACID	MAX 0.0003 MEQ/G T ACID		0.00008 MEQ/G
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
FREE HALOGENS	PASSES TEST FREE		PASSES TEST
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
WATER CONTENT	MAX 0.02% %		0.0026%
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
RESIDUE AFTER EVAPORATION	MAX 0.002%		<0.0002%
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
DATE OF MANUFACTURE	DD/MM/YYYY		09/02/2022
Sample ID			
Tested 02/07/23			
Tester TBUR			
Recorded 02/07/23			
Made 02/06/23			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536

Website: www.aquasolutions.org

Page: 2

Date: 02/17/23 at 11:55 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager