



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D2100			
DECAHYDRONAPHTHALENE			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	CLEAR LIQUID APPEARANCE		CLEAR
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
COLOR	5 PT-CO	0 - 10	2
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
Water Content	0.001 W/W%	0.000 - 0.100	0.003
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
Acidity as acetic acid	0.000 W/W% ASTM D1613	= 0.000	0.001
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
ASSAY	99.0 ASSAY	98.0 - 100.0	99.6
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		03/30/2025
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
SHELF LIFE OF PRODUCT	SHELF LIFE TIME		1 YEAR
Sample ID			
Tested	05/02/24		
Tester	TBUR		
Recorded	05/02/24		
Lot #	412202		
Made	05/01/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 05/02/24 at 1:47 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager