

Page: 1

Date: 05/23/24 at 10:49 AM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

Certificate of Analysis / QC Results

Customer PO #:

Packaged Pro	duct: A4230			
_		JM POTASSIUM SULFATE ACS	CRYS	
Test		Target/UOM	Range	Result
ASSAY OF MATE	RIAL	98.0 - 102.0%		100.0%
		%		
Samp				
Teste				
Teste				
Reco				
NSOLUBLE MAT	TER	MAX 0.005%		<0.005%
		%		
Samp	ole ID			
Teste	ed 05/23/24			
Teste	er TBUR			
Reco	rded 05/23/24			
Ammonium (NH4	4)	MAX 0.005%		<0.005%
		NH4		
Samp	ole ID			
Teste				
Teste				
Reco				
HEAVY METAL (A		MAX 0.001%		<0.001%
· · · · · · · · · · · · · · · · · · ·		PPM		
Samp	ale ID			
Teste				
Teste				
Reco				
RON	1060 05/25/24	MAX 0.001%		<0.001%
HON		PPM		C0.00176
0	ala ID	I I IVI		
Samp Teste				
Teste				
Reco		MAX 0.02%		.0.000/
SODIUM CONTEN	(1	MAX 0.02% %		<0.02%
6		76		
Samp				
Teste				
Teste				
Reco				
Lot # 4	14313			
Made 0				



Page: 2

Date: 05/23/24 at 10:49 AM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO #:

Quality Manager