

Page: 1

Date: 05/24/24 at 2:46 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

Certificate of Analysis / QC Results

Customer PO #:

Packaged Product:	E7608		
	EDTA dipotassium magne	esium salt >98%	
Test	Target/UOM	Range	Result
ASSAY E7608	MIN 98%	<u> </u>	98.1%
	%		
Sample ID			
Tested	05/24/24		
Tester	TBUR		
Recorded	05/24/24		
PH OF E7608	8.5-9.5		8.5-9.5
Sample ID			
Tested	05/24/24		
Tester	TBUR		
Recorded	05/24/24		
CALCIUM CONTENT	MAX 0.05%		<0.05%
	CA		
Sample ID			
Tested	05/24/24		
Tester	TBUR		
Recorded	05/24/24		
Iron Content	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	05/24/24		
Tester	TBUR		
Recorded	05/24/24		2 22 424
PPM HEAVY METALS (A			<0.001%
	PPM		
Sample ID			
Tested	05/24/24		
Tester	TBUR		
Recorded	05/24/24		0.0050/
CHLORIDE CONTENT	MAX 0.005%		<0.005%
0	PPM		
Sample ID	05/04/04		
Tested	05/24/24 TRUD		
Tester	TBUR		
Recorded	05/24/24 ENT MAX 0.01%		<0.01%
SULFATE (SO4) CONTE	MAX 0.01% MAX 60 MG/KG		<0.01%
Sample ID	IVIAA OU IVIG/RG		
Tested	05/24/24		
Tester	05/24/24 TBUR		
Recorded	05/24/24		
Lot # 414411			
Made 05/23	/24		



Page: 2

Date: 05/24/24 at 2:46 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO #:

Quality Manager