



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> P9164-4L PYRIDINE HPLC (4L BOTTLE) (PX2014-1)			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	MIN 99.0% %		>99.99%
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>COLOR</b>	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>FORM</b>	CLEAR LIQUID FORM		CLEAR LIQUID
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>INFRARED</b>	CONFORMS INFRARED		CONFORMS
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 4 PPM		<0.4 PPM
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>UV CUTOFF</b>	MAX 330 NM NM		303.9 NM
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>WATER CONTENT</b>	MAX 0.05% %		0.003%
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY		03/16/2022
Sample ID			
Tested	06/03/24		
Tester	TBUR		
Recorded	06/03/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 06/03/24 at 1:14 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Lot #</b>	415202
<b>Made</b>	05/31/24

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**