



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: WES039F			
Brine Standard			
Test	Target/UOM	Range	Result
CALCULATED PPM CALCIUM	1.00	0.99 - 1.01	1.00
	PPM		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
PREPARED TO FORMULATION ON FILE	YES		YES
	YES		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
CALCULATED PPM MAGNESIUM (MG)	1.00	0.99 - 1.01	1.00
	PPM		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
CALCULATED PPM NICKEL	1.00	0.99 - 1.01	1.00
	PPM		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
CALCULATED PPM IRON (FE)	1.00	0.99 - 1.01	1.00
	PPM		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
CALCULATED MG/L SILICON (SI)	1.00	0.99 - 1.01	1.00
	MG/L		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
CALCULATED PPM SODIUM SULFATE	5000.0	4995.0 - 5005.0	4998.9
	PPM		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			
APPEARANCE AND COLOR	PASS		PASS
	APPEARANCE		
Sample ID			
Tested 06/04/24			
Tester AROS			
Recorded 06/04/24			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org


Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

INSTRUMENTS USED DURING PREPARATION	INSTRUMENT	P184,M108
Sample ID		
Tested 06/04/24		
Tester AROS		
Recorded 06/04/24		
EXPIRATION DATE	MM/DD/YYYY	06/30/2025
	MM/DD/YYYY	
Sample ID		
Tested 06/04/24		
Tester AROS		
Recorded 06/04/24		
Lot # 4060465		
Made 06/04/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



Quality Manager