



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> C0713			
CALCIUM HYDROXIDE REAGENT ACS PWDR			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 95.0% CA(OH)2 AND <= 3.0% CaCO3 %		98.7%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>INSOLUBLE MATTER</b>	MAX 0.03% %		0.004%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>CHLORIDE CONTENT</b>	MAX 0.03% PPM		0.01%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>SULFUR COMPOUNDS (AS S)</b>	MAX 0.1% PPM		0.006%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>HEAVY METAL (AS PB)</b>	MAX 0.003% PPM		0.001%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>IRON</b>	MAX 0.05% PPM		0.03%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>MAGNESIUM (MG) CONTENT</b>	MAX 0.5% PPM		0.03%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
<b>POTASSIUM CONTENT</b>	MAX 0.05% PPM		0.02%
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 06/14/24 at 2:01 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

**SODIUM CONTENT**

MAX 0.05%  
%

0.02%

Sample ID

Tested 06/14/24

Tester TBUR

Recorded 06/14/24

**STRONTIUM CONTENT**

MAX 0.05%  
%

0.03%

Sample ID

Tested 06/14/24

Tester TBUR

Recorded 06/14/24

**Lot #** 416201

**Made** 06/10/24

**Quality Manager**