



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: F3030			
FERROUS SULFATE HEPTAHYDRATE REAGENT ACS GRADE			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		100.0%
	%		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
INSOLUBLE MATTER	MAX 0.01%		=<0.01%
	%		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
CHLORIDE CONTENT	MAX 0.001%		0.0005%
	PPM		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
PHOSPHATE CONTENT	MAX 0.001%		0.001%
	PPM		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
COPPER (CU) CONTENT	MAX 0.005%		0.001%
	COPPER		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
MANGANESE (MN) CONTENT	MAX 0.05%		0.044%
	%		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
ZINC (ZN) CONTENT	MAX 0.005%		0.002%
	PPM		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		
FERRIC ION (FE3+)	MAX 0.1%		0.05%
	FERRIC		
Sample ID			
Tested	06/14/24		
Tester	TBUR		
Recorded	06/14/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

CALCIUM CONTENT	MAX 0.005% PPM	0.001%
Sample ID		
Tested	06/14/24	
Tester	TBUR	
Recorded	06/14/24	
MAGNESIUM (MG) CONTENT	MAX 0.002% PPM	0.001%
Sample ID		
Tested	06/14/24	
Tester	TBUR	
Recorded	06/14/24	
POTASSIUM CONTENT	MAX 0.002% PPM	0.001%
Sample ID		
Tested	06/14/24	
Tester	TBUR	
Recorded	06/14/24	
SODIUM CONTENT	MAX 0.02% %	0.01%
Sample ID		
Tested	06/14/24	
Tester	TBUR	
Recorded	06/14/24	

Lot # 416507
Made 06/13/24

Quality Manager