



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
 Customer PO # :

<b>Packaged Product:</b> 0040			
ACETIC ACID 1.0 NORMAL			
Test	Target/UOM	Range	Result
<b>FORMULA</b>	CH3COOH		CH3COOH
	FORMULA		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>MOLECULAR WEIGHT</b>	60	= 60	60
	MOL. WT.		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>EXPIRATION DATE</b>	MM/DD/YY		06/30/25
	MM/DD/YYYY		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>ANIMAL OR NON-ANIMAL ORIGIN</b>	NON-ANIMAL		NON-ANIMAL
	ORIGIN		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE		1 YEAR
	TIME		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>Actual Normality</b>	1.0000	0.9991 - 1.0009	1.0001
	EQ/L		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>QCSP37:STANDARDIZATION</b>	YES		YES
<b>ACETIC ACID SOLN</b>	QCSP37		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		
<b>N.I.S.T. Traceable to SRM 84</b>	Yes		YES
	YES		
Sample ID			
Tested	06/21/24		
Tester	ENOR		
Recorded	06/21/24		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>PREPARED TO FORMULATION ON FILE</b>	YES YES	YES
Sample ID		
Tested	06/21/24	
Tester	ENOR	
Recorded	06/21/24	
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES YES	YES
Sample ID		
Tested	06/21/24	
Tester	ENOR	
Recorded	06/21/24	
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE	PASS
Sample ID		
Tested	06/21/24	
Tester	ENOR	
Recorded	06/21/24	
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	M103,T221,M55
Sample ID		
Tested	06/21/24	
Tester	ENOR	
Recorded	06/21/24	
<b>CAS NUMBER</b>	64197(ACETIC ACID) CAS#	64197
Sample ID		
Tested	06/21/24	
Tester	ENOR	
Recorded	06/21/24	
<b>Lot #</b>	4061827	
<b>Made</b>	06/21/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**