



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> HOE039F			
	GUR HIGH MULTI-ELEMENT STANDARD		
<b>PREPARED TO FORMULATION ON</b>	YES		YES
<b>FILE</b>	YES		
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>ALUMINUM CONTENT</b>	15.000 ± 0.375		15.000
	AL		
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>LOT # ALUMINUM AA 1,000 PPM STD</b>	LOT #		401507
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>CALCIUM CONTENT</b>	30.000 ± 0.750		30.000
	CA		
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>LOT # CALCIUM AA 1,000 PPM STD</b>	LOT #		401701
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>Iron Content</b>	5.000 ± 0.125		5.000
	PPM		
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>LOT # IRON AA 1,000 PPM STD</b>	LOT #		323321
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			
<b>Magnesium content</b>	10.000 ± 0.250		10.000
	PPM		
Sample ID			
Tested 06/19/24			
Tester AROS			
Recorded 06/19/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>LOT # MAGNESIUM AA 1,000 PPM STD</b>	LOT #	416444
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>TITANIUM CONTENT</b>	15.000 ± 0.375 PPM	15.000
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>GRAMS OF ZINC</b>	50.000 ± 1.250 GM	50.000
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>LOT # ZINC AA 1,000 PPM STD</b>	LOT #	415705
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>LOT # NITRIC ACID</b>	LOT #	401507
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>APPEARANCE AND COLOR</b>	CLEAR TO SLIGHT AMBER COLOR APPEARANCE	PASS
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	GC,M108,VF4-N32
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	12/30/24
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		
<b>LOT # TITANIUM AA 1,000 PPM STD</b>	LOT #	416446
Sample ID		
Tested 06/19/24		
Tester AROS		
Recorded 06/19/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 06/20/24 at 2:46 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Lot #</b>	4060339
<b>Made</b>	06/19/24

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**