

Page: 1

Date: 06/24/24 at 2:09 PM

## Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

## **Certificate of Analysis / QC Results**

Customer PO #:

Packaged Product: M3801				
	3-MET	THYL-1PHENYL-2-PYRAZOLIN-5-O		
Test		Target/UOM	Range	Result
ASSAY OF MATERIAL		>= 98.5%		99.9%
		%		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24	VELLOW TO REJULIORYOTAL		DEIOE
APPEARANCE AND COLOR		YELLOW TO BEIGH CRYSTAL		BEIGE
		POWDER		
		APPEARANCE		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24	ALITUENTIO		001/505140
INFRARED		AUTHENTIC		CONFORMS
		INFRARED		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24	107 70 101 850 0		400.0
MELTING POINT		127 TO 131 DEG C		128.6
		° C		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24			
EXPIRATION DATE		MM/DD/YY		02/21/2029
		MM/DD/YYYY		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24			
SHELF LIFE OF PRODUCT		5 YEARS		5 YEARS
		TIME		
Sample ID				
Tested	06/24/24			
Tester	TBUR			
Recorded	06/24/24			
Lot # 417313				
Made 06/21	/24			



Page: 2

Date: 06/24/24 at 2:09 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO #:

**Quality Manager**