

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S3414			
SODIUM PHOSPHATE MONOBASIC MONOHYDRATE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	98.0 - 102.0% $\text{NAH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$		98.66%
	%		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
pH of 5% solution @ 25 C	4.300	4.100 - 4.500	4.200
	PH		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
INSOLUBLE MATTER	MAX 0.01%		0.007%
	%		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
PPM CHLORIDE	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
PERCENT SO_4	MAX 0.003%		<0.003%
	% SO_4		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
PERCENT CALCIUM (CA)	MAX 0.005%		<0.005%
	%CA		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
PERCENT POTASSIUM (K)	MAX 0.01%		<0.01%
	%K		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			
PERCENT HEAVY METAL (AS PB)	MAX 0.001%		<0.001%
	%HVYMTL		
Sample ID			
Tested 06/24/24			
Tester TBUR			
Recorded 06/24/24			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 06/24/24 at 9:34 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

PERCENT IRON (FE)

MAX 0.001%
%FE

<0.001%

Sample ID

Tested 06/24/24

Tester TBUR

Recorded 06/24/24

EXPIRATION DATE

MM/DD/YY
MM/DD/YYYY

03/30/2027

Sample ID

Tested 06/24/24

Tester TBUR

Recorded 06/24/24

SHELF LIFE OF PRODUCT

SHELF LIFE
TIME

3 YEARS

Sample ID

Tested 06/24/24

Tester TBUR

Recorded 06/24/24

MANUFACTURE DATE

MM/DD/YY
MM/DD/YYYY

04/2024

Sample ID

Tested 06/24/24

Tester TBUR

Recorded 06/24/24

Lot # 417201

Made 06/20/24

Quality Manager