

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

Packaged Product	E7608			
-		potassium magnesium sal [.]	2 >98%	
Test		Target/UOM	Range	Result
ASSAY E7608		MIN 98%		98.2%
-		%		
Sample ID				
Tested	06/26/24			
Tester	TBUR 06/26/24			
Recorded PH OF E7608	06/26/24	8.5-9.5		8.5-9.5
Sample ID		0.0 0.0		0.0 0.0
Tested	06/26/24			
Tester	TBUR			
Recorded	06/26/24			
CALCIUM CONTENT		MAX 0.05%		<0.05%
		CA		
Sample ID				
Tested	06/26/24			
Tester	TBUR			
Recorded	06/26/24			
Iron Content		MAX 0.001%		<0.001%
		PPM		
Sample ID				
Tested	06/26/24			
Tester	TBUR			
Recorded PPM HEAVY METALS (06/26/24	MAX 0.001%		<0.001%
FFINI NEAVI NIETALS (aj pdj	PPM		<0.00176
Sample ID				
Tested	06/26/24			
Tester	TBUR			
Recorded	06/26/24			
CHLORIDE CONTENT		MAX 0.005%		<0.005%
		PPM		
Sample ID				
Tested	06/26/24			
Tester	TBUR			
Recorded	06/26/24			
SULFATE (SO4) CONTE	ENT	MAX 0.01%		<0.01%
		MAX 60 MG/KG		
Sample ID				
Tested	06/26/24			
Tester	TBUR			
Recorded	06/26/24			
Lot # 41770				
Made 06/25	5/24			



Page: 2 Date: 06/26/24 at 2:20 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO # :

hichard St

Quality Manager