



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: HOE047F			
MIXED METALS SPIKE IN 2% HNO3 + 0.05% HCL (LITER)			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON	YES		YES
FILE	YES		
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
CHROMIUM CONTENT	10.000 ± 0.001		10.000
	CR		
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
LOT # 1850	LOT #		412911
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
COPPER CONTENT	10.000 ± 0.001		10.000
	CR		
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
LOT # 2250	LOT #		412910
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
NICKEL CONTENT	10.000 ± 0.001		10.000
	PPM		
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
LOT # 6450	LOT #		323322
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			
Zinc Content	10.000 ± 0.001		10.001
	PPM		
Sample ID			
Tested 08/08/24			
Tester MMAT			
Recorded 08/08/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

LOT # ZINC AA 1,000 PPM STD	LOT #	415705
Sample ID		
Tested 08/08/24		
Tester MMAT		
Recorded 08/08/24		
SELENIUM	0.500 ± 0.001	0.500
	PPM	
Sample ID		
Tested 08/09/24		
Tester MMAT		
Recorded 08/09/24		
LOT 8150	LOT #	216604
Sample ID		
Tested 08/09/24		
Tester MMAT		
Recorded 08/09/24		
Iron Content	100.000 ± 0.001	100.000
	PPM	
Sample ID		
Tested 08/08/24		
Tester MMAT		
Recorded 08/08/24		
LOT # IRON AA 1,000 PPM STD	LOT #	412911
Sample ID		
Tested 08/08/24		
Tester MMAT		
Recorded 08/08/24		
ALUMINUM CONTENT	300.000 ± 0.001	300.000
	AL	
Sample ID		
Tested 08/09/24		
Tester MMAT		
Recorded 08/09/24		
LOT # ALUMINUM AA 1,000 PPM STD	LOT #	416443
Sample ID		
Tested 08/09/24		
Tester MMAT		
Recorded 08/09/24		
APPEARANCE AND COLOR	CLEAR WATER WHITE APPEARANCE	PASS
Sample ID		
Tested 08/08/24		
Tester MMAT		
Recorded 08/08/24		
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT	GC,GP,VF1-Z39,M115,M108,M100
Sample ID		
Tested 08/08/24		
Tester MMAT		
Recorded 08/08/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

EXPIRATION DATE	MM/DD/YY	02/28/25
	MM/DD/YYYY	
Sample ID		
Tested	08/08/24	
Tester	MMAT	
Recorded	08/08/24	
Lot #	4080544	
Made	08/09/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager