



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> SPE509F			
	TOTAL SUSPENDED SOLIDS STANDARD 1000 PPM		
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>APPEARANCE AND COLOR</b>	TURBID LIQUID APPEARANCE		PASS
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>CALCULATED MG/L (PPM) TSS</b>	1000.0 MG/L	995.0 - 1005.0	999.6
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>ACT GMS CELITE</b>	1.0000 GM	0.9990 - 1.0010	0.9996
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>QCSP11:STANDARDIZATION OF BROMIDE-BROMAT</b>	YES QCSP11		YES
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>MLS OF WATER</b>	1000 ML	995 - 1005	1000
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M115,VF1-Z29
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			
<b>WEIGHT NIST TRACEABLE</b>	PASS YES		PASS
Sample ID			
Tested 08/20/24			
Tester JTRA			
Recorded 08/20/24			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested 08/20/24		
Tester JTRA		
Recorded 08/20/24		
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY	08/30/2025
Sample ID		
Tested 08/20/24		
Tester JTRA		
Recorded 08/20/24		
<b>Lot #</b> 4081916		
<b>Made</b> 08/20/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



**Quality Manager**