



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: L3237			
LEAD DIOXIDE REAGENT ACS POWDER			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 97.0%		99.25%
	%		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
ACID-INSOLUBLE MATTER	MAX 0.2%		0.015%
	ACID-INSOL		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
CARBON COMPOUNDS	MAX 0.04%		<0.04%
	CARBON		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
CHLORIDE CONTENT	MAX 0.002%		<0.002%
	PPM		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
NITRATE (NO3) CONTENT	MAX 0.02%		<0.02%
	PPM		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
SULFATE (SO4) CONTENT	MAX 0.05%		<0.05%
	MG/KG		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
MANGANESE (MN) CONTENT	MAX 5 PPM		2.60 PPM
	%		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		
CALCIUM CONTENT	MAX 0.02%		0.0172%
	PPM		
Sample ID			
Tested	08/21/24		
Tester	TBUR		
Recorded	08/21/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

COPPER (CU) CONTENT

MAX 0.05%

0.0084%

COPPER

Sample ID

Tested 08/21/24

Tester TBUR

Recorded 08/21/24

POTASSIUM CONTENT

MAX 0.05%

0.0181%

PPM

Sample ID

Tested 08/21/24

Tester TBUR

Recorded 08/21/24

SODIUM CONTENT

MAX 0.1%

0.0466%

%

Sample ID

Tested 08/21/24

Tester TBUR

Recorded 08/21/24

Lot # 422901

Made 08/16/24

Quality Manager