

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

Packaged Product:	S3400		
	SODIUM PERSULFATE PURI		
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99%		99.5%
	%		
Sample ID	0.00 /0.4		
	3/23/24		
	BUR 3/23/24		
APPEARANCE AND COLO			WHITE CRYSTAL
	APPEARANCE		
Sample ID			
	3/23/24		
	BUR		
	3/23/24		
ACTUAL PPM IRON	10.000 PPM	0.000 - 10.000	1.000
Sample ID			
Tested 08	8/23/24		
Tester TI	BUR		
Recorded 08	3/23/24		
ACTIVE OXYGEN CONTEN	T MIN6%		6.69%
	ACTIVEOXYGEN		
Sample ID			
Tested 08	8/23/24		
	BUR		
Recorded 08	8/23/24		
% MOISTURE	MAX 0.1%		0.01%
	%MOISTURE		
Sample ID			
Tested 08	3/23/24		
	BUR		
	8/23/24		
% AMMONIUM PERSULFA		0.000 - 0.100	0.020
	%		
Sample ID			
	3/23/24		
	BUR		
	3/23/24		
% SODIUM SULFATE	0.75	0.50 - 1.00	0.57
	%		
Sample ID			
	3/23/24		
	BUR		
	3/23/24		
% THRU #8 MESH	100.0	100.0 - 120.0	100.0
	%		
Sample ID			
	3/23/24		
	BUR		
Recorded 08	3/23/24		
1			



Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

PPM INSOLUBLES, AQUEOUS	150 PPM	50 - 150	44
Sample ID			
Tested 08/23/24			
Tester TBUR			
Recorded 08/23/24			
Lot # 423502			
Made 08/22/24			

hickard St

Quality Manager