



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

| <b>Packaged Product:</b> D4205                 |                       |       |         |
|--|-----------------------|-------|---------|
| DIALLYLAMINE (DALA) (CAS#124-02-7) (350LBS/DR) |                       |       |         |
| Test   | Target/UOM            | Range | Result  |
| <b>ASSAY OF MATERIAL</b>                       | MIN 98.0%             |       | 98.4%   |
|  | %                     |       |         |
| Sample ID                                      |                       |       |         |
| Tested   | 08/28/24              |       |         |
| Tester   | TBUR                  |       |         |
| Recorded                                       | 08/28/24              |       |         |
| <b>WATER CONTENT</b>                           | MAX 0.50%             |       | 0.24%   |
|  | %                     |       |         |
| Sample ID                                      |                       |       |         |
| Tested   | 08/28/24              |       |         |
| Tester   | TBUR                  |       |         |
| Recorded                                       | 08/28/24              |       |         |
| <b>COLOR</b>                                   | MAX 100 APHA<br>PT-CO |       | 10 APHA |
| Sample ID                                      |                       |       |         |
| Tested   | 08/28/24              |       |         |
| Tester   | TBUR                  |       |         |
| Recorded                                       | 08/28/24              |       |         |
| <b>ALLYLAMINE</b>                              | MAX 0.10%             |       | 0.04%   |
| Sample ID                                      |                       |       |         |
| Tested   | 08/28/24              |       |         |
| Tester   | TBUR                  |       |         |
| Recorded                                       | 08/28/24              |       |         |
| <b>TOTAL TERTIARY AMINES</b>                   | MAX 0.65%             |       | 0.11%   |
|  | %                     |       |         |
| Sample ID                                      |                       |       |         |
| Tested   | 08/28/24              |       |         |
| Tester   | TBUR                  |       |         |
| Recorded                                       | 08/28/24              |       |         |
| <b>Lot #</b>                                   | 423913                |       |         |
| <b>Made</b>                                    | 08/26/24              |       |         |

**Quality Manager**