



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1100			
ACETIC ACID GLACIAL REAGENT ACS (210KG/DRUM)			
Test	Target/UOM	Range	Result
ACETIC ACID (CH3COOH) ASSAY	MIN 99.7% ASSAY%		100.0%
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
COLOR	MAX 10 PT-CO		<5 APHA
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
PERCENT ACETIC ANHYDRIDE	0.005 %	0.000 - 0.010	0.010
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
CHLORIDE CONTENT	MAX 1 PPM PPM		<5 APHA
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
SULFATE (SO4) CONTENT	MAX 1 PPM MG/KG		<1 PPM
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
HEAVY METALS (AS LEAD)	MAX 0.5 PPM PPM		<0.5 PPM
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
IRON	MAX 0.2 PPM PPM		<0.1 PPM
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	09/06/24		
Tester	TBUR		
Recorded	09/06/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

TITRATABLE BASE	MAX 0.0004 MEQ/G	0.0002 MEQ/G
Sample ID		
Tested 09/06/24		
Tester TBUR		
Recorded 09/06/24		
RESIDUE AFTER EVAPORATION	MAX 0.001%	<0.001%
Sample ID		
Tested 09/06/24		
Tester TBUR		
Recorded 09/06/24		
EXPIRATION DATE	MM/DD/YY	06/19/2026
	MM/DD/YYYY	
Sample ID		
Tested 09/06/24		
Tester TBUR		
Recorded 09/06/24		

Lot # 424903

Made 09/05/24

Quality Manager