



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P4716			
POTASSIUM IODIDE REAGENT ACS GRANULAR			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	> = 99.0%		100.2%
	%		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
PH OF A 5% SOLUTION	8.000	6.000 - 9.200	6.300
	PH		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
INSOLUBLE MATTER	MAX 0.005%		0.001%
	%		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
CHLORIDE AND BROMIDE	MAX 0.01%		<0.01%
	CHLOR/BROM		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
IODATE (IO3)	MAX 3 PPM		<0.5 PPM
	PPM		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
PHOSPHATE (PO4) PERCENT	MAX 0.001%		<0.001%
	%		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
SULFATE % (SO4)	MAX 0.005%		<0.005%
	%		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		
PERCENT BARIUM	MAX 0.002%		<0.002%
	%		
Sample ID			
Tested	09/05/24		
Tester	TBUR		
Recorded	09/05/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

PPM HEAVY METALS (AS PB)	MAX 5 PPM PPM	<5 PPM
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
IRON	MAX 3 PPM PPM	<3 PPM
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
SODIUM CONTENT	MAX 0.005% %	0.001%
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
LOSS ON DRYING	MAX 0.2% %	0.2%
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	08/06/2024
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	08/06/2027
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	3 YEARS
Sample ID		
Tested	09/05/24	
Tester	TBUR	
Recorded	09/05/24	

Lot # 424809

Made 09/04/24



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 09/05/24 at 1:13 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager