



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> C2372			
CERIC AMMONIUM NITRATE REAGENT ACS			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 98.5%		99.7%
	%		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>CHLORIDE CONTENT</b>	MAX = 0.01%		<0.01%
	PPM		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>PHOSPHATE CONTENT</b>	MAX 0.02%		<0.02%
	PPM		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>IRON</b>	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>INSOLUBLE IN DILUTE SULFURIC ACID</b>	MAX 0.05%		<0.05%
	%		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>EXPIRATION DATE</b>	MM/DD/YY		11/24/2025
	MM/DD/YYYY		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE		1 YEAR
	TIME		
Sample ID			
Tested	09/09/24		
Tester	TBUR		
Recorded	09/09/24		
<b>Lot #</b>	425043		
<b>Made</b>	09/09/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 09/09/24 at 2:52 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**