Printing date 07/03/2024

Reviewed on 07/03/2024

#### **1** Identification

- · Product identifier
- Trade name: Four Component Standard in Water w/w
- · Article number: WES046
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666*

## 2 Hazard(s) identification

- · Classification of the substance or mixture
- The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH $\bigcirc$ Health = 0FIRE $\bigcirc$ Fire = 0REACTIVITY $\bigcirc$ Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



Printing date 07/03/2024

Reviewed on 07/03/2024

Trade name: Four Component Standard in Water w/w

(Contd. of page 1)

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous com		
CAS: 56-81-5	lycerol	2.0%
CAS: 67-56-1 N	lethanol	0.1%
v	zardous Ingredients	
CAS: 7732-18-5	Water	97.7%
CAS: 67-63-0	Isopropanol	0.1%
CAS: 67-64-1	Acetone	0.1%

#### **4** First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- *Dispose contaminated material as waste according to section 13.* • *Reference to other sections*
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 56-81-5 Glycerol	45 mg/m <sup>3</sup>
CAS: 67-56-1 Methanol	530 ppm
	(Contd. on page 3)

- US

Printing date 07/03/2024

Reviewed on 07/03/2024

Trade name: Four Component Standard in Water w/w

	(Contd. of page 2)
CAS: 67-63-0 Isopropanol	400 ppm
CAS: 67-64-1 Acetone	200 ppm
· PAC-2:	
CAS: 56-81-5 Glycerol	180 mg/m <sup>3</sup>
CAS: 67-56-1 Methanol	2,100 ppm
CAS: 67-63-0 Isopropanol	2000* ppm
CAS: 67-64-1 Acetone	3200* ppm
• PAC-3:	
CAS: 56-81-5 Glycerol	1,100 mg/m <sup>3</sup>
CAS: 67-56-1 Methanol	7200* ppm
CAS: 67-63-0 Isopropanol	12000** ppm
CAS: 67-64-1 Acetone	5700* ppm

## 7 Handling and storage

· Handling:

· Precautions for safe handling No special measures required.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

CAS: 56-81-5 GlycerolPELLong-term value: 15* 5** mg/m³ mist; *total dust **respirable fractionTLVTLV withdrawn-insufficient data human occup. exp.CAS: 67-56-1 MethanolPELLong-term value: 260 mg/m³, 200 ppm Long-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm SkinTLVShort-term value: 260 mg/m³, 200 ppm Long-term value: 260 mg/m³, 200 ppm SkinTLVShort-term value: 250 ppm Long-term value: 250 ppm Skin; BEIc		ponents with limit values that require monitoring at the workplace:	
mist; *total dust **respirable fractionTLVTLV withdrawn-insufficient data human occup. exp.CAS: 67-56-1 MethanolPELLong-term value: 260 mg/m³, 200 ppmRELShort-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm SkinTLVShort-term value: 260 mg/m³, 200 ppm SkinTLVShort-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc	CAS:	: 56-81-5 Glycerol	
CAS: 67-56-1 MethanolPELLong-term value: 260 mg/m³, 200 ppmRELShort-term value: 325 mg/m³, 250 ppmLong-term value: 260 mg/m³, 200 ppmSkinTLVShort-term value: 250 ppmLong-term value: 200 ppmSkin; BEIc		0	
PELLong-term value: 260 mg/m³, 200 ppmRELShort-term value: 325 mg/m³, 250 ppmLong-term value: 260 mg/m³, 200 ppmSkinTLVShort-term value: 250 ppmLong-term value: 200 ppmSkin; BEIc	TLV	TLV withdrawn-insufficient data human occup. exp.	
<ul> <li>REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin</li> <li>TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc</li> </ul>	CAS:	: 67-56-1 Methanol	
Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc	PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm	
Long-term value: 200 ppm Skin; BEIc		Long-term value: 260 mg/m <sup>3</sup> , 200 ppm	
		Long-term value: 200 ppm	
(Contd. c		(Contd	l. on page

Printing date 07/03/2024

Reviewed on 07/03/2024

#### Trade name: Four Component Standard in Water w/w

(Contd. of page 3)

<ul> <li>Ingredients</li> </ul>	with	biological	limit values:	
---------------------------------	------	------------	---------------	--

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

· Information on basic physical and	chemical properties	
• General Information • Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	

Printing date 07/03/2024

Reviewed on 07/03/2024

#### Trade name: Four Component Standard in Water w/w

	(Contd. of page 4
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00457 g/cm <sup>3</sup> (8.38314 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	2.3 %
Water:	97.7 %
VOC content:	0.20 %
	2.0 g/l / 0.02 lb/gal
Solids content:	2.0 %
• Other information	No further relevant information available.

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50100,000 mg/kg

Dermal LD50 300,000 mg/kg

Inhalative LC50/4h 3,000 mg/l

(Contd. on page 6)

US

Printing date 07/03/2024

Reviewed on 07/03/2024

#### Trade name: Four Component Standard in Water w/w

(Contd. of page 5)

3

• Primary irritant effect:

 $\cdot$  on the skin: No irritant effect.

 $\cdot$  on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation:* Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IATA	Not regulated	

Printing date 07/03/2024

Reviewed on 07/03/2024

## Trade name: Four Component Standard in Water w/w

		(Contd. of page
·IMDG	Not Regulated	
	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Not regulated	

# **15** Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
No further relevant information available.
· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Glycerol	ACTIV
Methanol	ACTIV
Isopropanol	ACTIV
Acetone	ACTIV
Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
	(Contd. on pag

## Safety Data Sheet acc. to OSHA HCS

Printing date 07/03/2024

Reviewed on 07/03/2024

#### Trade name: Four Component Standard in Water w/w

	(Contd. of page
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 67-64-1 Acetone	1
TLV (Threshold Limit Value)	
CAS: 67-63-0 Isopropanol	A4
CAS: 67-64-1 Acetone	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements Not Applicable	
Hazard pictograms Not Applicable	
Signal word Not Applicable	
Hazard statements Not Applicable	
Precautionary statements	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to d
Continue rinsing.	2
Store in a closed container.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ons.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision Revision 0.0, 07-03-2024: Creation date for SDS. CMC/STN 07/03/2024 / -· Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit