Printing date 04/19/2024 Reviewed on 04/19/2024

#### 1 Identification

· Product identifier

· Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

· Article number: VEN004

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

· Information department:

Technical Coordinator

800-256-2586

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.* 

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

(Contd. on page 2)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 1)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7697-37-2	Nitric Acid	7.587%	
· Table of Nonhaza	· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	92.37%	
CAS: 13446-18-9	Magnesium Nitrate	0.01%	
CAS: 7782-61-8	Ferric Nitrate	0.007%	
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.006%	
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	0.004%	
CAS: 7631-99-4	Sodium Nitrate	0.004%	
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.004%	
CAS: 7757-79-1	Potassium Nitrate	0.003%	
CAS: 471-34-1	Calcium Carbonate	0.002%	
CAS: 10099-74-8	Lead Nitrate	0.002%	
CAS: 7440-66-6	Zinc Metal	0.001%	
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	0.0005%	

## 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 13446-18-9	Magnesium Nitrate	16 mg/m³
CAS: 7782-61-8	Ferric Nitrate	22 mg/m³
CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m³
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m³
CAS: 7757-79-1	Potassium Nitrate	9 mg/m³
CAS: 471-34-1	Calcium Carbonate	45 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m <sup>-</sup>
CAS: 7440-66-6	Zinc Metal	6 mg/m <sup>3</sup>
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	1.0 ppm
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 13446-18-9	Magnesium Nitrate	180 mg/m
		(Contd. on page

us -

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

CAS: 7782-61-8	Ferric Nitrate	(Contd. of page 110 mg/m
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m³
CAS: 7631-99-4	Sodium Nitrate	45 mg/m³
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m
CAS: 7757-79-1	Potassium Nitrate	100 mg/m
CAS: 471-34-1	Calcium Carbonate	210 mg/m
CAS: 10099-74-8	Lead Nitrate	180 mg/m
CAS: 7440-66-6	Zinc Metal	21 mg/m³
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	24 ppm
PAC-3:		·
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 13446-18-9	Magnesium Nitrate	1,100 mg/m
CAS: 7782-61-8	Ferric Nitrate	640 mg/m³
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m³
CAS: 7631-99-4	Sodium Nitrate	270 mg/m³
CAS: 19004-19-4	Cupric Nitrate Hydrate	240 mg/m³
C115: 1700 / 17 /	Potassium Nitrate	600 mg/m³
CAS: 7757-79-1		- C
	Calcium Carbonate	1,300 mg/m
CAS: 7757-79-1	Calcium Carbonate	-
CAS: 7757-79-1 CAS: 471-34-1	Calcium Carbonate	1,300 mg/m

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 4)

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025\* ppm

Long-term value: (2) ppm \*inh. fraction + vapor, NIC-A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

HS.

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 5)

Physical and chemical propert		
Information on basic physical and cl	hemical properties	
· General Information		
Appearance:	*	
Form:	Liquid Clear	
Color: Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	$1.03094 \ g/cm^3 \ (8.60319 \ lbs/gal)$	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water	r): Not determined.	
Viscosity:	N. J. J.	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	92.4 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 6)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 39.5 mg/l

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
CAS: 10099-74-8 Lead Nitrate	2A		
· NTP (National Toxicology Program)			
CAS: 10099-74-8 Lead Nitrate	R		

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- $\cdot \textit{Aquatic toxicity:} \ \textit{No further relevant information available}.$
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

· Other adverse effects No further relevant information available.

(Contd. of page 7)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN3264
UN proper shipping name DOT IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label IMDG, IATA	8
<u>us</u>	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Ker EMS Number:	· · · · · · · · · · · · · · · · · · ·
	F-A,S-B
Segregation groups Stowage Category	(SGG1) $Acids$
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SW2 Clear of tiving quarters.  SG36 Stow "separated from" SGG18-alkalis.
Segregation Code	SG30 Slow separated from SGG18-aikalis. SG49 Stow "separated from" SGG6-cyanides

(Contd. on page 9)

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

	(Contd. of page
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
$\cdot$ <b>DOT</b>	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
~ ~ ~ ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID), 8, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely	hazardous substances):	
CAS: 7697-37-2 Nitric Acid		
CAS: 7664-39-3 Hydro	ofluoric Acid 49-51% Aqueous Solution	
Section 313 (Specific to	oxic chemical listings):	
CAS: 7697-37-2 Nitra	ic Acid	
CAS: 13446-18-9 Mag	gnesium Nitrate	
CAS: 7782-61-8 Ferr	ric Nitrate	
CAS: 7757-79-1 Pota	CAS: 7757-79-1 Potassium Nitrate	
CAS: 10099-74-8 Lead	CAS: 10099-74-8 Lead Nitrate	
CAS: 7440-66-6 Zinc	CAS: 7440-66-6 Zinc Metal	
CAS: 7664-39-3 Hyd	CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution	
· TSCA (Toxic Substances Control Act):		
Water		ACTIVE
Nitric Acid		ACTIVE
Ammonium hexafluoros	silicate	ACTIVE
Sodium Nitrate		ACTIVE
Potassium Nitrate		ACTIVE
Calcium Carbonate		ACTIVE
Lead Nitrate		ACTIVE
Zinc Metal		ACTIVE
Hydrofluoric Acid 49-5	51% Aqueous Solution	ACTIVE
· Hazardous Air Polluta	ints	-
CAS: 10099-74-8 Lead	d Nitrate	
CAS: 7664-39-3 Hyd	rofluoric Acid 49-51% Aqueous Solution	
		(Contd. on page 10)

US

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 9)

· Proposition 65

· Chemicals known to cause cancer:

CAS: 10099-74-8 Lead Nitrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)		
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-66-6	Zinc Metal	D, I, II

· TLV (Threshold Limit Value)

CAS: 10099-74-8 Lead Nitrate

*A3* 

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 04/19/2024 Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 10.0 ppm in 5% Nitric

(Contd. of page 10)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.0 04-19-2024: Creation date for SDS. CMC/STN 04/19/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1

 $\cdot$  \* Data compared to the previous version altered.

US