

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

## 1 Identification

- **Product identifier**
- **Trade name:** XTO 100% Recycled JRU - 200K TDS
- **Article number:** EXX223
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable
- **Precautionary statements**

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

US

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 10035-04-8	Calcium Chloride Dihydrate	5.449%
-----------------	----------------------------	--------

- **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	80.872%
CAS: 7647-14-5	Sodium Chloride	11.995%
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	1.285%
CAS: 7447-40-7	Potassium Chloride	0.159%
CAS: 7757-82-6	Sodium Sulfate Anhydrous	0.09%
CAS: 10025-70-4	Strontium Chloride Hexahydrate	0.088%
CAS: 144-55-8	Sodium Bicarbonate	0.056%
CAS: 497-19-8	Sodium Carbonate Anhydrous	0.005%
CAS: 10025-77-1	Ferric Chloride Hexahydrate	0.0004%
CAS: 10326-27-9	Barium Chloride Dihydrate	0.0002%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 10035-04-8	Calcium Chloride Dihydrate	16 mg/m <sup>3</sup>
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	34 mg/m <sup>3</sup>
CAS: 7757-82-6	Sodium Sulfate Anhydrous	9.8 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	13 mg/m <sup>3</sup>
CAS: 497-19-8	Sodium Carbonate Anhydrous	7.6 mg/m <sup>3</sup>
CAS: 10025-77-1	Ferric Chloride Hexahydrate	15 mg/m <sup>3</sup>
CAS: 10326-27-9	Barium Chloride Dihydrate	2.7 mg/m <sup>3</sup>

· **PAC-2:**

CAS: 10035-04-8	Calcium Chloride Dihydrate	170 mg/m <sup>3</sup>
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	370 mg/m <sup>3</sup>
CAS: 7757-82-6	Sodium Sulfate Anhydrous	110 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	140 mg/m <sup>3</sup>
CAS: 497-19-8	Sodium Carbonate Anhydrous	83 mg/m <sup>3</sup>
CAS: 10025-77-1	Ferric Chloride Hexahydrate	39 mg/m <sup>3</sup>
CAS: 10326-27-9	Barium Chloride Dihydrate	330 mg/m <sup>3</sup>

· **PAC-3:**

CAS: 10035-04-8	Calcium Chloride Dihydrate	1,100 mg/m <sup>3</sup>
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	1,600 mg/m <sup>3</sup>
CAS: 7757-82-6	Sodium Sulfate Anhydrous	650 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	840 mg/m <sup>3</sup>
CAS: 497-19-8	Sodium Carbonate Anhydrous	500 mg/m <sup>3</sup>
CAS: 10025-77-1	Ferric Chloride Hexahydrate	240 mg/m <sup>3</sup>
CAS: 10326-27-9	Barium Chloride Dihydrate	2,000 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Liquid

· **Color:** Clear

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/Melting range:** Undetermined.

· **Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 4)

· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.1976 g/cm <sup>3</sup> (9.99397 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	80.9 %
<b>VOC content:</b>	0.00 % 0.0 g/l / 0.00 lb/gal
<b>Solids content:</b>	19.1 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimate)</b>		
Oral	LD50	18,353 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 5)

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Smaller quantities can be disposed of with household waste.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA** Not regulated

· **UN proper shipping name**

· **DOT, IATA** Not regulated

· **IMDG** Not Regulated

Not regulated

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 6)

- |  |                 |
|--|-----------------|
| <b>· Transport hazard class(es)</b>  |                 |
| <b>· DOT, ADN, IMDG, IATA</b>  |                 |
| <b>· Class</b>   | Not regulated   |
| <b>· Packing group</b>   |                 |
| <b>· DOT, IMDG, IATA</b>   | Not regulated   |
| <b>· Environmental hazards:</b>  | Not applicable. |
| <b>· Special precautions for user</b>  | Not applicable. |
| <b>· Transport in bulk according to Annex II of<br/>MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>  | Not regulated   |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

<b>· Section 355 (extremely hazardous substances):</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Section 313 (Specific toxic chemical listings):</b>
--

CAS: 10326-27-9   Barium Chloride Dihydrate
---

<b>· TSCA (Toxic Substances Control Act):</b>
---

Water	ACTIVE
Sodium Chloride	ACTIVE
Potassium Chloride	ACTIVE
Sodium Sulfate Anhydrous	ACTIVE
Sodium Bicarbonate	ACTIVE
Sodium Carbonate Anhydrous	ACTIVE

<b>· Hazardous Air Pollutants</b>
-----------------------------------

None of the ingredients is listed.
------------------------------------

<b>· Proposition 65</b>
-------------------------

<b>· Chemicals known to cause cancer:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause developmental toxicity:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Carcinogenic categories</b>
----------------------------------

<b>· EPA (Environmental Protection Agency)</b>
--

CAS: 10326-27-9   Barium Chloride Dihydrate	D, CBD(inh), NL(oral)
---	-----------------------

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

**Trade name: XTO 100% Recycled JRU -  
200K TDS**

(Contd. of page 7)

· **TLV (Threshold Limit Value)**

CAS: 10326-27-9	Barium Chloride Dihydrate	A4
-----------------	---------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Not Applicable

· **Hazard pictograms** Not Applicable

· **Signal word** Not Applicable

· **Hazard statements** Not Applicable

· **Precautionary statements**

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

Date of Preparation / Last Revision:

· **Date of preparation / last revision**

Revision 0.1, 06/18/2024: Reviewed SDS for accuracy. MH/STN

06/18/2024 / 1.0

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· **\* Data compared to the previous version altered.**