Printing date 06/21/2024


Reviewed on 06/21/2024

Identification	
Identification	
Product identifier	
Trade name: <u>Tetrabutylammonium Hydro</u> 0.05N in Isopropyl Alcohol	<u>oxide</u>
Article number: SPX914	
Details of the supplier of the safety data sh Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA	heet AQUA SOLUTIONS
800-256-2586	
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	s.org
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
$\checkmark$	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor. H315 Causes skin irritation.
Flammable Liquids 2	
Flammable Liquids 2 Flammable Liquids 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp	H315 Causes skin irritation.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp Label elements	H315 Causes skin irritation. H319 Causes serious eye irritation.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp Label elements GHS label elements The product is classifi Hazard pictograms Flammable Liquids 2 Hazard pictograms	H315 Causes skin irritation. H319 Causes serious eye irritation. posure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exp Label elements GHS label elements The product is classifi Hazard pictograms GHS02 GHS07	H315 Causes skin irritation. H319 Causes serious eye irritation. posure 3 H336 May cause drowsiness or dizziness. ied and labeled according to the Globally Harmonized System (GHS

Printing date 06/21/2024

Reviewed on 06/21/2024

### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol



· HMIS-ratings (scale 0 - 4)

HEALTH\*2Health = \*2FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	Isopropanol	95.882%
CAS: 67-56-1	Methanol	2.471%
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	1.647%

(Contd. on page 3)

Printing date 06/21/2024

Reviewed on 06/21/2024

#### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 2)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

*Ensure adequate ventilation.* 

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### • Protective Action Criteria for Chemicals

• PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m <sup>3</sup>
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	13 mg/m <sup>3</sup>
		(Contd. on page 4)

Printing date 06/21/2024

Reviewed on 06/21/2024

### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

		(Contd. of page 3)
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	79 mg/m <sup>3</sup>

# 7 Handling and storage

### · Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 67-63-0 Isopropanol	
PEL Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
CAS: 67-56-1 Methanol	
PEL Long-term value: 260 mg/m <sup>3</sup> , 200 ppm	
REL Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin	
TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc	
(Contd. on	page 5)

Printing date 06/21/2024

Reviewed on 06/21/2024

# Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 4)

-	redients with biological limit values:
	5: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
<u>a</u>	LD50: Acetone (background, nonspecific)
	5: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Add	itional information: The lists that were valid during the creation were used as basis.
Exp	osure controls
	ional protective equipment:
	eral protective and hygienic measures:
Kee	p away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	id contact with the eyes and skin.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	iratory protective device that is independent of circulating air.
Prot	tection of hands:
111	Protective gloves
	Trolecure Stores
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality ar
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	glove material can not be calculated in advance and has therefore to be checked prior to the application.
	etration time of glove material
Pen	
<b>Pen</b> The	
<b>Pen</b> The obse	prved.
<b>Pen</b> The obse	
<b>Pen</b> The obse	prved.
<b>Pen</b> The obse	
<b>Pen</b> The obse	erved. protection:
Pen The obse Eye	erved. protection:

(Contd. on page 6)

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	nemicui properties
Appearance:	
Form:	Fluid
Color:	Clear
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-89.5 °C (-129.1 °F)
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 $\bullet C$ (68 $\bullet F$ ):	43 hPa (32.3 mm Hg)
<i>Density at 20 °C (68 °F):</i>	0.78862 g/cm <sup>3</sup> (6.58103 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic at 20 $\bullet C$ (68 $\bullet F$ ):	2.43 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	98.4 %
VOC content:	98.35 %
	775.6 g/l / 6.47 lb/gal
Solids content:	1.6 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 06/21/2024

Reviewed on 06/21/2024

### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 6)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	4,047 mg/kg
		12,142 mg/kg
Inhalative	LC50/4h	121 mg/l

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

US

3

Printing date 06/21/2024

Reviewed on 06/21/2024

### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 7)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	101002
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA	) FLAMMABLE LIQUID, N.O.S. (Isopropanol
IMDG, IATA	)
Transport hazard class(es)	
DOT	
- <u> </u>	
FLAMMABLE LIQUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
,	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	
EMS Number:	F-E,S-E

Printing date 06/21/2024

Reviewed on 06/21/2024

# Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

	(Contd. of page
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
-	), <i>3</i> , <i>II</i>

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
CAS: 67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIV
Methanol	ACTIV
Tetrabutylammonium Hydroxide 30-Hydrate	ACTIV
Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
	(Contd. on page

Printing date 06/21/2024

Reviewed on 06/21/2024

#### Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 9)

A4

· Curcinogenic cuicgorie	ories	catego	Carcinogenic	•
--------------------------	-------	--------	--------------	---

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Isopropanol · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: Tetrabutylammonium Hydroxide 0.05N in Isopropyl Alcohol

(Contd. of page 10)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 0.0, 06-21-2024: Creation date for SDS CMC/STN 06/21/2024 / -• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3