



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

| <b>Packaged Product:</b> 9765-20L                     |               |       |          |
|---|---------------|-------|----------|
| WATER DEIONIZED REAGENT ACS GRADE/ASTM TYPE II (20LC) |               |       |          |
| Test  | Target/UOM    | Range | Result   |
| <b>PREPARED TO FORMULATION ON FILE</b>                | YES           |       | YES      |
| Sample ID   | YES           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>MEETS ASTM TYPE II SPECIFICATIONS</b>              | YES           |       | YES      |
| Sample ID   | PASS          |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>TOC &lt; 50 PPB</b>                                | < 50 PPB      |       | <50 PPB  |
| Sample ID   | PPB           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>SODIUM &lt; 5 PPB</b>                              | < 5 PPB       |       | <5 PPB   |
| Sample ID   | PPB           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>CHLORIDE &lt; 5 PPB</b>                            | < 5 PPB       |       | <5 PPB   |
| Sample ID   | PPB           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>SILICA &lt; 3 PPB</b>                              | 3 PPB OR LESS |       | <=3 PPB  |
| Sample ID   | PPB           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>HEAVY METALS AS LEAD</b>                           | < 10 PPB      |       | <10 PPB  |
| Sample ID   | PPM           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |
| <b>PPM NO3</b>  | < 0.4 PPM     |       | <0.4 PPM |
| Sample ID   | PPM           |       |          |
| Tested 09/24/24                                       |               |       |          |
| Tester TBUR   |               |       |          |
| Recorded 09/24/24                                     |               |       |          |



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

|                                 |                        |            |
|---------------------------------|------------------------|------------|
| <b>PPM PHOSPHATE (PO4)</b>      | < 1.0 PPM<br>PPM       | <1.0 PPM   |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>PPM SULFATE (SO4)</b>        | < 1.0 PPM<br>PPM       | <1.0 PPM   |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>HETEROTROPIC PLATE COUNT</b> | ZERO                   | ZERO       |
| <b>ZERO</b>                     | CFU                    |            |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>CONDUCTIVITY</b>             | < 1 UMHOS<br>US/CM     | <1 UMHOS   |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>EXPIRATION DATE</b>          | MM/DD/YY<br>MM/DD/YYYY | 08/30/2025 |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>SHELF LIFE OF PRODUCT</b>    | SHELF LIFE<br>TIME     | 1 YEAR     |
| Sample ID                       |                        |            |
| Tested                          | 09/24/24               |            |
| Tester                          | TBUR                   |            |
| Recorded                        | 09/24/24               |            |
| <b>Lot #</b>                    | 4081400                |            |
| <b>Made</b>                     | 08/19/24               |            |

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 09/24/24 at 8:05 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**