



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 9762-20L			
WATER DEIONIZED MEETS ASTM TYPE I SPECIFICATIONS (20L)			
Test	Target/UOM	Range	Result
<b>MEETS ASTM TYPE I SPECIFICATIONS</b>	YES PASS		YES
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>RESISTIVITY 18 MEG-OHM AT TIME OF PACKAG</b>	18 MEG-OHM PASS		18 MEG-OHM
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>FILTERED THROUGH A 0.2 UM FILTER</b>	YES YES		YES
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>TOC &lt; 50 PPB</b>	<50PPB PPB		<50 PPB
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>SODIUM &lt; 1 PPB</b>	< 1 PPB PPB		<1 PPB
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>CHLORIDE &lt; 1 PPB</b>	< 1 PPB PPB		<1 PPB
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>SILICA &lt; 3 PPB</b>	< 3 PPB PPB		<3 PPB
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			
<b>HEAVY METALS AS LEAD</b>	< 10 PPB PPM		<10 PPB
Sample ID			
Tested 09/18/24			
Tester TBUR			
Recorded 09/18/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>PPM NO3</b>	< 0.4 PPM PPM	<0.4 PPM
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>PPM PHOSPHATE (PO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>PPM SULFATE (SO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>ARSENIC &lt;1 PPB</b>	< 1 PPB <1 PPB	<1 PPB
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>CADMIUM &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>LEAD &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>NICKEL &lt; 1 PPB</b>	< 1 PPB PPB	<1 PPB
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	
<b>CHROMIUM &lt; 5 PPB</b>	< 5 PPB PPB	<5 PPB
Sample ID		
Tested	09/18/24	
Tester	TBUR	
Recorded	09/18/24	



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>COPPER &lt; 5 PPB</b>	< 5 PPB PPB	<5 PPB
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>SILVER &lt; 0.2 PPB</b>	< 0.2 PPB PPB	<0.2 PPB
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>MERCURY &lt; 0.2 PPB</b>	< 0.2 PPB PPB	<0.2 PPB
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>MEETS ACS SPECIFICATIONS</b>	PASS ACS SPECS	PASS
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	08/30/2025
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested 09/18/24		
Tester TBUR		
Recorded 09/18/24		
<b>Lot #</b> 4080256		
<b>Made</b> 08/05/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 4

Date: 09/25/24 at 11:49 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 9762-20L WATER DEIONIZED MEETS ASTM TYPE I SPECIFICATIONS (20L)
<b>Lot #</b>

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**