



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: B4202			
BORIC ACID REAGENT ACS GRANULAR			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.9%
	%		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
INSOLUBLE IN METHANOL	MAX 0.005%		0.001%
	%		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
CHLORIDE CONTENT	MAX 0.001%		0.0004%
	PPM		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
PHOSPHATE CONTENT	MAX 0.001%		0.0002%
	PPM		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
SULFATE (SO4) CONTENT	MAX 0.01%		0.002%
	MG/KG		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
CALCIUM CONTENT	MAX 0.005%		0.001%
	PPM		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
HEAVY METAL (AS PB)	MAX 0.001%		0.0002%
	PPM		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		
IRON	MAX 0.001%		0.0004%
	PPM		
Sample ID			
Tested	10/10/24		
Tester	TBUR		
Recorded	10/10/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

NONVOLATILE WITH METHANOL	MAX 0.05% WT%	0.02%
Sample ID		
Tested	10/10/24	
Tester	TBUR	
Recorded	10/10/24	
MANUFACTURED DATE OF MATERIAL	MM/YY MM/DD/YYYY	01/30/2024
Sample ID		
Tested	10/10/24	
Tester	TBUR	
Recorded	10/10/24	
SHELF LIFE OF PRODUCT	3 YEARS TIME	3 YEARS
Sample ID		
Tested	10/10/24	
Tester	TBUR	
Recorded	10/10/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	01/30/2027
Sample ID		
Tested	10/10/24	
Tester	TBUR	
Recorded	10/10/24	
Lot #	427816	
Made	10/04/24	

Quality Manager