



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M5000			
METHYL ETHYL KETONE (2-BUTANONE) REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99.0% %		99.97%
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
COLOR	MAX 15 APHA PT-CO		2 APHA
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
TITRABLE ACID	MAX 0.0005 MEQ/G T ACID		0.0001 MEQ/G
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
WATER CONTENT	MAX 0.20% %		0.08%
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		02/06/2027
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		02/07/2024
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
SHELF LIFE OF PRODUCT	3 YEARS TIME		3 YEARS
Sample ID			
Tested	09/27/24		
Tester	TBUR		
Recorded	09/27/24		
Lot #	426705		
Made	09/23/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536

Website: www.aquasolutions.org

Page: 2

Date: 09/27/24 at 9:55 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager