



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: C0727 CALCIUM HYDROXIDE LAB GRADE POWDER			
ASSAY OF MATERIAL	95 - 100.5%		98.8%
	%		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
PASSING 325 MESH	MIN 96.5		99.9%
	325 MESH		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
MOISTURE,%	MAX 1.0%		0.4%
	%		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
FLUORIDE (F)	MAX 50 PPM		31 PPM
	PPM		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
INSOLUBLES,% GUARANTEED	MAX 0.5%		<0.5%
	%		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
LEAD (PB) CONTENT	MAX 10 PPM		<2 PPM
	MG/L		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
% MAG. & ALKALI SALTS	MAX 4.8%		<4.8%
	% MAG		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			
ARSENIC CONTENT	MAX 3.0 PPM		<3.0 PPM
	ARSENIC		
Sample ID			
Tested 10/10/24			
Tester TBUR			
Recorded 10/10/24			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

CARBONATE AS NA2CO3

PASSES TEST

PASSES TEST

PPM

Sample ID

Tested 10/10/24

Tester TBUR

Recorded 10/10/24

APPEARANCE AND COLOR

WHITE POWDER

FINE, WHITE POWDER

APPEARANCE

Sample ID

Tested 10/10/24

Tester TBUR

Recorded 10/10/24

Lot # 427001

Made 09/26/24

Quality Manager