

Page: 1

Date: 10/10/24 at 2:15 PM

## Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

## **Certificate of Analysis / QC Results**

Customer PO #:

Packaged Product:	D4771		
-	DIISOPROPYLAMINE 99.5% (319LBS	/DRUM)	
Test	Target/UOM	Range	Result
PURITY, WT%	>/= 99.5%		99.98%
	% W/W		
Sample ID			
	/10/24		
	BUR		
	/10/24		
WATER CONTENT	<0.1%		0.005%
	%		
Sample ID			
	/10/24		
	BUR		
	/10/24		
COLOR	= 15</td <td></td> <td>3</td>		3
	PT-CO		
Sample ID			
Tested 10	/10/24		
Tester TB	BUR		
Recorded 10	/10/24		
MONOETHANOLAMINE	= 0.1%</td <td></td> <td>&lt;0.0030%</td>		<0.0030%
	%		
Sample ID			
	/10/24		
	BUR		
	/10/24		
N-ISOPROPYLIDENE-ISOPI			0.0050%
MINE	%		
Sample ID			
	/10/24		
	BUR		
	/10/24		
ACETONE %	=0.10%</td <td></td> <td>&lt;0.0030%</td>		<0.0030%
AGETONE /	%		10.000070
Sample ID	/0		
·	/10/24		
	710/24 SUR		
	/10/24		
ISOPROPANOL	=0.2% WT</td <td></td> <td>&lt;0.0030%</td>		<0.0030%
IOOFTIOFAITOL	%		\0.0000 /o
Carranta ID	76		
Sample ID Tested 10	(10/04		
	/10/24		
	SUR (10/24		
	/10/24		
Lot # 427118			
Made 09/27/2	4		



Page: 2

Date: 10/10/24 at 2:15 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO #:

**Quality Manager**