



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: M2523 METHANOL HPLC GRADE			
ASSAY OF MATERIAL	99.9%		99.99%
	%		
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
APPEARANCE AND COLOR	CLEAR APPEARANCE		CLEAR,COLORLESS LIQUID
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
WATER CONTENT	<=0.1%		0.004%
	%		
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
SUBSTANCES DARKENED BY SULFURIC ACID	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
COLOR	< 10 PT-CO		<5 APHA
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			
CARBONYL COMPOUNDS	< 0.001%		<0.001%
	CARBON COM		
Sample ID			
Tested 10/01/24			
Tester TBUR			
Recorded 10/01/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

TITRABLE ACID	< 0.0003 MEQ/G T ACID	0.0002 MEQ/G
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
TITRABLE BASE	< 0.0002 MEQ/G T BASE	0.00003 MEQ/G
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	05/30/2029
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	05/17/2024
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
SHELF LIFE OF PRODUCT	5 YEARS TIME	5 YEARS
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
REFRACTIVE INDEX	1.3280 REFRACTIVE INDE	1.3260 - 1.3300 1.3265
Sample ID		
Tested	10/01/24	
Tester	TBUR	
Recorded	10/01/24	
Lot #	427005	
Made	09/26/24	

Quality Manager