



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b>		A1496	
		ACETONE HPLC GRADE	
<b>Test</b>	<b>Target/UOM</b>	<b>Range</b>	<b>Result</b>
<b>ASSAY OF MATERIAL</b>	>= 99.9+%		99.69%
	%		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>WATER CONTENT</b>	MAX 0.25%		0.28%
	%		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>SOLUBILITY</b>	PASS/FAIL		PASS
	PASS		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>COLOR</b>	< 10 APHA		<5 APHA
	PT-CO		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>TITRABLE ACID</b>	0.3 MEQ/G		0.0003 MEQ/G
	T ACID		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>TITRABLE BASE</b>	0.6 MEQ/G		0.00004 MEQ/G
	T BASE		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>ISOPROPYL ALCOHOL</b>	MAX 0.05%		0.00%
	%		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		
<b>METHANOL</b>	MAX 0.05%		0.0260%
	%		
Sample ID			
Tested	10/17/24		
Tester	TBUR		
Recorded	10/17/24		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**SUBST NOT PPTD BY H2S**

PASS/FAIL  
 SUBSTANCE

PASS

Sample ID  
 Tested 10/17/24  
 Tester TBUR  
 Recorded 10/17/24

**Lot #** 429014  
**Made** 10/16/24

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**