Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: <u>p-Naptholbenzein 1%</u> <u>w/v Indicator Solution</u>	
Article number: TEN016	
<b>Details of the supplier of the safety data sheet</b> <b>Manufacturer/Supplier:</b> Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA 800-256-2586	
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
	H361 Suspected of damaging fertility or the unborn chil
Toxic to Reproduction 2	
•	H373 May cause damage to organs through prolonged repeated exposure.
•	
Specific Target Organ Toxicity - Repeated Exposure 2	
Specific Target Organ Toxicity - Repeated Exposure 2 Aspiration Hazard 1	repeated exposure.
Specific Target Organ Toxicity - Repeated Exposure 2 Aspiration Hazard 1 GHS07 Skin Irritation 2 Eye Irritation 2A	repeated exposure. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Repeated Exposure 2 Aspiration Hazard 1 GHS07 Skin Irritation 2	repeated exposure. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.

GHS02 GHS07 GHS08

(Contd. on page 2)

US

Printing date 06/03/2024

Trade name: p-Naptholbenzein 1% w/v Indicator Solution Reviewed on 06/03/2024

(Contd. of pag
Hazard-determining components of labeling: Toluene
Isopropanol
Hazard statements
Highly flammable liquid and vapor.
Causes skin irritation.
Causes skin irritation. Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.
May cause drowsiness or dizziness.
May cause arowsmess of alguness. May cause damage to organs through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store in a wen-veninalea place. Keep cool. Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
A A A A A A A A A A A A A A A A A A A
Health = 2
Fire = $3$
2 $0$ Reactivity = 0
HMIS-ratings (scale 0 - 4)
FIRE 3 $Fire = 3$
<b>REACTIVITY</b> $0$ <i>Reactivity</i> = 0
(Contd on pas

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: p-Naptholbenzein 1% w/v Indicator Solution

(Contd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dang	gerous	comp	onents:
--------	--------	------	---------

CAS: 108-88-3	Toluene	51.457%
CAS: 67-63-0	Isopropanol	46.727%
CAS: 145-50-6	a-Naptholbenzein, Indicator Grade	1.215%
· Table of Nonho	zardous Ingredients	
CAS: 7732-18-3	5 Water	0.601%

CAS: 7732-18-5 Water

#### **4** First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US

*Printing date 06/03/2024* 

Reviewed on 06/03/2024

Trade	name:	p-N	aptholben	zein 1%
		w/v	Indicator	Solution

		(Contd. of page 3
• Environmental		
Dilute with plen	ty of water.	
Do not allow to	enter sewers/ surface or ground water.	
• Methods and m	aterial for containment and cleaning up:	
Absorb with liqu	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contam	inated material as waste according to section 13.	
Ensure adequat	e ventilation.	
· Reference to ot	her sections	
See Section 7 fo	r information on safe handling.	
	r information on personal protection equipment.	
See Section 13 j	for disposal information.	
· Protective Actio	on Criteria for Chemicals	
· PAC-1:		
CAS: 108-88-3	Toluene	67 ppm
CAS: 67-63-0	Isopropanol	400 ppm
· PAC-2:		
CAS: 108-88-3	Toluene	560 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
· PAC-3:		
CAS: 108-88-3	Toluene	3700* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US –

Printing date 06/03/2024

Reviewed on 06/03/2024

de na	me: p-Naptholbenzein 1% w/v Indicator Solution	
		(Contd. of p
Cont	rol parameters	
	ponents with limit values that require monitoring at the workplace:	
	following constituents are the only constituents of the product which have a PEL, TLV or of a given limit	other recomme
	sure limit. is time, the remaining constituent has no known exposure limits.	
	: 108-88-3 Toluene	
	Long-term value: 200 ppm	
	Ceiling limit value: 300; 500* ppm	
	*10-min peak per 8-hr shift	
REL	Short-term value: 560 mg/m³, 150 ppm	
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm	
TLV	Long-term value: 20 ppm	
	BEI, OTO, A4	
CAS.	: 67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm	
	Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm	
	Long-term value: 200 ppm	
	BEI, A4	
-	edients with biological limit values:	
CAS:	: 108-88-3 Toluene	
	0.02 mg/L	
	LD50 Intraperitoneal: blood	
	Time: prior to last shift of workweek	
	LD50: Toluene	
	0.03 mg/L	
	LD50 Intraperitoneal: urine	
	Time: end of shift	
	LD50: Toluene	
	0.3 mg/g creatinine LD50 Intraperitoneal: urine	
	Time: end of shift	
	LD50: o-Cresol with hydrolysis (background)	
CAS	: 67-63-0 Isopropanol	
BEI	40 mg/L	
	LD50 Intraperitoneal: urine	
	Time: end of shift at end of workweek	
	LD50: Acetone (background, nonspecific)	
Addi	tional information: The lists that were valid during the creation were used as basis.	
Expo	osure controls	
	onal protective equipment:	
	eral protective and hygienic measures:	
	a away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.	
	protective clothing separately.	
		(Contd. on p

US

Printing date 06/03/2024

Trade name: p-Naptholbenzein 1% w/v Indicator Solution Reviewed on 06/03/2024

(Contd. of page 5)

Avoid contact with the eyes and skin.

- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Dark brown	
Odor:	Toluene	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	82 °C (179.6 °F)	
Flash point:	4 °C (39.2 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	

Printing date 06/03/2024

Reviewed on 06/03/2024

### Trade name: p-Naptholbenzein 1% w/v Indicator Solution

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.82327 g/cm <sup>3</sup> (6.87019 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	98.2 %
Water:	0.6 %
VOC content:	98.18 %
	808.3 g/l / 6.75 lb/gal
Solids content:	1.2 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 8)

<sup>·</sup> Chemical stability

US

*Printing date 06/03/2024* 

#### Trade name: p-Naptholbenzein 1% w/v Indicator Solution

(Contd. of page 7)

3

3

Reviewed on 06/03/2024

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-88-3 Toluene

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

• General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
$\cdot DOT$	Flammable liquids, n.o.s. (Toluene, Isopropanol
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Toluene, Isopropanol
	$\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: p-Naptholbenzein 1% w/v Indicator Solution

· Transport hazard class(es)	
-	
·DOT	
FLAMABLE LOUD	
3	
- Class	3 Flammable liquids
Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
- Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUEN)
	ISOPROPANOL
	), 3, II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 10)

US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: p-Naptholbenzein 1% w/v Indicator Solution

Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 108-88-3 Toluene	
CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Toluene	ACTI
Isopropanol	ACTI
a-Naptholbenzein, Indicator Grade	ACTI
Water	ACTI
Hazardous Air Pollutants	`
CAS: 108-88-3 Toluene	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 108-88-3 Toluene	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 108-88-3 Toluene	
TLV (Threshold Limit Value)	
CAS: 108-88-3 Toluene	
CAS: 67-63-0 Isopropanol	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally . Hazard pictograms	Harmonized System (GHS
$\land \land \land$	
$\langle \mathfrak{G} \rangle \langle \mathfrak{I} \rangle \langle \mathfrak{G} \rangle$	

· Signal word Danger

Hazard-determining components of labeling: Toluene Isopropanol
Hazard statements Highly flammable liquid and vapor. Causes skin irritation.

Printing date 06/03/2024

### Trade name: p-Naptholbenzein 1% w/v Indicator Solution

Reviewed on 06/03/2024

(Contd. of page 10) Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN 06/03/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 12)

<sup>–</sup> US

Printing date 06/03/2024

Trade name: p-Naptholbenzein 1% w/v Indicator Solution Reviewed on 06/03/2024

(Contd. of page 11)

US

	(Conta. of page 11)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aspiration Hazard 1: Aspiration hazard – Category 1	
• * Data compared to the previous version altered.	