



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4490			
1,2-DICHLOROETHANE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		99.98%
	%		
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
TITRABLE ACID	MAX 0.0003 MEQ/G		0.00013 MEQ/G
	T ACID		
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
WATER CONTENT	MAX 0.03%		0.003%
	%		
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
COLOR	10 APHA		<10 APHA
	PT-CO		
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
RESIDUE AFTER EVAPORATION	MAX 0.002%		0.0003%
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
MANUFACTURE DATE	MM/DD/YY		10/11/2024
	MM/DD/YYYY		
Sample ID			
Tested	10/22/24		
Tester	TBUR		
Recorded	10/22/24		
Lot #	429508		
Made	10/21/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 10/22/24 at 12:14 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager