

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

Packaged Produc	X7515			
	p-XYLENE ,	CERTIFIED		
Test		Target/UOM	Range	Result
% MOLE PURITY		MIN 99%		99.8%
		%MOL PUR		
Sample ID)			
Tested	10/22/24			
Tester	TBUR			
Recorded				
APPEARANCE AND CO	OLOR CLEA	AR COLORLESS LIQUID		COLOURLESS LIQUID
		APPEARANCE		
Sample ID)			
Tested	10/22/24			
Tester	TBUR			
Recorded	10/22/24			
IDENTIFICATION		PASS TEST		PASSES TEST
		PASS		
Sample ID)			
Tested	10/22/24			
Tester	TBUR			
Recorded	10/22/24			
EXPIRATION DATE	10/22/24	MM/DD/YY		07/31/2029
		MM/DD/YYYY		0.7072020
Sample ID	1			
Tested	, 10/22/24			
Tester	TBUR			
Recorded	10/22/24			
SHELF LIFE OF PROD		SHELF LIFE		5 YEARS
		TIME		3 TEANO
Sample ID	1			
Tested	10/22/24			
Tester	TBUR			
Recorded	10/22/24			
Lot # 4295				
Made 10/2	1/24			

hickard SPO

Quality Manager