



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: OLI012F			
Sodium Acetate 25% w/v Solution			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON FILE	YES		YES
Sample ID	YES		
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
CALCULATED W/V% SODIUM ACETATE	25.00	24.97 - 25.03	25.00
Sample ID	W/V%		
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
APPEARANCE AND COLOR	CLEAR LIQUID APPEARANCE		PASS
Sample ID			
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
Actual Density	1.07776	1.07557 - 1.07996	1.07948
Sample ID	G/ML		
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M120,VF3-J21
Sample ID			
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
EXPIRATION DATE	MM/DD/YYYY		10/30/2025
Sample ID	MM/DD/YYYY		
Tested 10/28/24			
Tester AROS			
Recorded 10/28/24			
Lot #	4102862		
Made	10/28/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 10/28/24 at 1:05 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager