



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1496			
ACETONE HPLC GRADE			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR		REPORT	CLEAR, COLORLESS LIQUID
APPEARANCE			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
ASSAY OF MATERIAL		>= 99.9+%	99.8%
%			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
COLOR		0	5
PT-CO = 0			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
WATER CONTENT		MAX 0.25%	0.2%
%			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
SOLUBILITY		PASS/FAIL	PASS
PASS			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
TITRABLE ACID		0.3 MEQ/G	0.0003 MEQ/G
T ACID			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
TITRABLE BASE		0.6 MEQ/G	0.0002 MEQ/G
T BASE			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		
ISOPROPYL ALCOHOL		MAX 0.05%	0.00
%			
Sample ID			
Tested	10/25/24		
Tester	TBUR		
Recorded	10/25/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

METHANOL	MAX 0.05%	0.03%
	%	
Sample ID		
Tested	10/25/24	
Tester	TBUR	
Recorded	10/25/24	
SUBST NOT PPTD BY H2S	PASS/FAIL	PASS
	SUBSTANCE	
Sample ID		
Tested	10/25/24	
Tester	TBUR	
Recorded	10/25/24	
RELEASE DATE	MM/DD/YYYY	08/15/2024
	DD/MM/YYYY	
Sample ID		
Tested	10/25/24	
Tester	TBUR	
Recorded	10/25/24	
EXPIRATION DATE	MM/DD/YYYY	08/30/2029
	MM/DD/YYYY	
Sample ID		
Tested	10/25/24	
Tester	TBUR	
Recorded	10/25/24	
Lot #	429706	
Made	10/23/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.


Quality Manager