



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: 9766-10LHP			
WATER DISTILLED ASTM TYPE II (10LHP)			
Test	Target/UOM	Range	Result
CONDUCTIVITY	< 1.0 UMHOS US/CM		<1.0 UMHOS
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
TOC < 50 PPB	< 50 PPB PPB		<50 PPB
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
SODIUM < 5 PPB	< 5 PPB PPB		<5 PPB
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
CHLORIDE < 5 PPB	< 5 PPB PPB		<5 PPB
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
SILICA < 3 PPB	3 PPB OR LESS PPB		<= 3 PPB
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
HEAVY METALS AS LEAD	< 10 PPB PPM		<10 PPB
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
PPM NO3	< 0.4 PPM PPM		<0.4 PPM
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		
PPM PHOSPHATE (PO4)	< 1.0 PPM PPM		<1.0 PPM
Sample ID			
Tested	11/15/24		
Tester	TBUR		
Recorded	11/15/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

PPM SULFATE (SO4)	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	11/15/24	
Tester	TBUR	
Recorded	11/15/24	
RESISTIVITY IN MEGOHM*CM @25 C	> 1.0 MEGOHM MEGOHM/CM	>1.0 MEGOHM
Sample ID		
Tested	11/15/24	
Tester	TBUR	
Recorded	11/15/24	
CONDUCTIVITY (US/CM)	< 1 UMHOS US/CM	<1 UMHOS
Sample ID		
Tested	11/15/24	
Tester	TBUR	
Recorded	11/15/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	10/30/2025
Sample ID		
Tested	11/15/24	
Tester	TBUR	
Recorded	11/15/24	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested	11/15/24	
Tester	TBUR	
Recorded	11/15/24	
Lot #	41008DS	
Made	10/12/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



Quality Manager