



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> ERL113F			
	POTASSIUM HYDROXIDE 0.5 NORMAL		
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		11/20/2024
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0 DEG C	10.0 - 35.0	20.0
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY MM/DD/YYYY		11/20/2024
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>AMBIENT TEST TEMPERATURE DEGC</b>	20.0 DEG C	15.0 - 30.0	20.0
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>Actual Normality</b>	0.5000 EQ/L	0.4995 - 0.5005	0.4998
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			
<b>Actual Density</b>	1.02317 G/ML	1.02294 - 1.02340	1.02323
Sample ID			
Tested 11/20/24			
Tester JRIO			
Recorded 11/20/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES YES	YES
Sample ID		
Tested	11/20/24	
Tester	JRIO	
Recorded	11/20/24	
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE	PASS
Sample ID		
Tested	11/20/24	
Tester	JRIO	
Recorded	11/20/24	
<b>INSTRUMENTS USED DURING PREPARATION</b>	LAB EQUIPMENT INSTRUMENT	M112,T165
Sample ID		
Tested	11/20/24	
Tester	JRIO	
Recorded	11/20/24	
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY	11/30/2026
Sample ID		
Tested	11/20/24	
Tester	JRIO	
Recorded	11/20/24	
<b>Lot #</b>	4111935	
<b>Made</b>	11/20/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**